

| テキスト描画

| 1. テキスト表示

- drawCenterString
- drawChar
- drawFloat
- drawNumber
- drawString
- print
- printf
- println

| 2. テキスト属性

- setFont
- getFont
- showFont
- fontHeight
- fontWidth
- loadFont
- unloadFont
- setTextColor
- setTextSize
- getTextSizeX
- getTextSizeY
- setTextStyle
- getTextStyle
- textLength
- textWidth

| 3. テキストの配置とマージン

- setTextDatum
- getTextDatum
- setTextPadding
- getTextPadding

| 4. 自動改行

- setTextWrap

| 図形描画

1. 線形図形

- drawArc
- drawBezier
- drawCircle
- drawEllipse
- drawEllipseArc
- drawFastHLine
- drawFastVLine
- drawLine
- drawGradientHLine
- drawGradientLine
- drawGradientVLine
- drawPixel
- drawTriangle

2. 塗りつぶし図形

- fillAffine
- fillArc
- fillCircle
- fillEllipse
- fillEllipseArc
- fillRect
- fillRectAlpha
- fillRoundRect
- fillTriangle
- floodFill
- paint
- copyRect

3. 特殊図形

- progressBar
- qrcode

4. write and read

- getStartCount
- readPixel
- readPixelRGB
- readRect
- readRectRGB
- startWrite
- endWrite
- pushBlock
- pushPixels
- pushPixelsDMA
- writeColor
- writeFastHLine
- writeFastVLine
- writeFillRect
- writeFillRectPreclipped
- writeIndexedPixels
- writePixel
- writePixels
- writePixelsDMA

1. 画像

- createPng
- drawBmp
- drawBmpFile
- drawBmpUrl
- drawJpg
- drawJpgFile
- drawJpgUrl
- drawPng
- drawPngFile
- drawPngUrl
- drawQoi
- drawQoiFile
- drawQoiUrl
- pushAlphaImage
- pushGrayscaleImage
- pushGrayscaleImageAffine
- pushGrayscaleImageRotateZoom
- pushImage
- pushImageDMA
- pushImageAffine
- pushImageAffineWithAA
- pushImageRotateZoom
- pushImageRotateZoomWithAA

2. 画像色変換

- setSwapBytes
- getSwapBytes
- swap565
- swap888

キャンバス管理

1. 面板パネルパラメータ 参数

- isEPD
- height
- width
- popState
- pushState
- setBrightness
- getBrightness
- setEpdMode
- getEpdMode
- setResolution
- setRotation
- getRotation

2. カラー

- setBaseColor
- getBaseColor
- setColor
- setRawColor
- getRawColor
- setColorDepth
- getColorDepth
- getPalette
- getPaletteCount

3. 画面 クリア

- clear
- clearDisplay
- fillScreen

4. 座標設定

- setCursor
- getCursorX
- getCursorY
- setPivot
- getPivotX
- getPivotY

5. キャンバス領域選択

- setAddrWindow
- setWindow
- setClipRect
- getClipRect
- clearClipRect

6. キャンバススクロール

- scroll
- setTextScroll
- setScrollRect
- getScrollRect
- clearScrollRect

7. カスタム処理

- effect

スクリーン電源管理

1. 電源状態管理

- powerSave
- powerSaveOff
- powerSaveOn

2. スリープとウェイクアップ

- sleep
- wakeup

タッチスクリーン

1. タッチ情報

- onTouch
- onTouchRaw
- convertRawXY

2. 画面キャリブレーション

- calibrateTouch
- setTouchCalibrate

アルファベット索引

a-d

- | | | |
|-------------------|---------------------|----------------|
| ◦ calibrateTouch | ◦ drawCenterString | ◦ drawJpgUrl |
| ◦ clear | ◦ drawChar | ◦ drawLine |
| ◦ clearClipRect | ◦ drawCircle | ◦ drawNumber |
| ◦ clearDisplay | ◦ drawEllipse | ◦ drawPixel |
| ◦ clearScrollRect | ◦ drawEllipseArc | ◦ drawPng |
| ◦ convertRawXY | ◦ drawFastHLine | ◦ drawPngFile |
| ◦ copyRect | ◦ drawFastVLine | ◦ drawPngUrl |
| ◦ createPng | ◦ drawFloat | ◦ drawQoi |
| ◦ drawArc | ◦ drawGradientHLine | ◦ drawQoiFile |
| ◦ drawBezier | ◦ drawGradientLine | ◦ drawQoiUrl |
| ◦ drawBmp | ◦ drawGradientVLine | ◦ drawString |
| ◦ drawBmpFile | ◦ drawJpg | ◦ drawTriangle |
| ◦ drawBmpUrl | ◦ drawJpgFile | |

e-h

- effect
- endWrite
- fillAffine
- fillArc
- fillCircle
- fillEllipse
- fillEllipseArc
- fillRect
- fillRectAlpha
- fillRoundRect
- fillScreen
- fillTriangle
- floodFill
- fontHeight
- fontWidth
- getBaseColor
- getBrightness
- getClipRect
- getColorDepth
- getCursorX
- getCursorY
- getEpdMode
- getFont
- getPalette
- getPaletteCount
- getPivotX
- getPivotY
- getRawColor
- getRotation
- getScrollRect
- getStartCount
- getSwapBytes
- getTextDatum
- getTextPadding
- getTextSizeX
- getTextSizeY
- getTextStyle
- getTouch
- getTouchRaw
- height

i-r

- isEPD
- loadFont
- paint
- popState
- powerSave
- powerSaveOff
- powerSaveOn
- print
- printf
- println
- progressBar
- pushAlphaImage
- pushBlock
- pushGrayscaleImage
- pushGrayscaleImageAffine
- pushGrayscaleImageRotateZoom
- pushImage
- pushImageAffine
- pushImageAffineWithAA
- pushImageDMA
- pushImageRotateZoom
- pushImageRotateZoomWithAA
- pushPixels
- pushPixelsDMA
- pushState
- qrcode
- readPixel
- readPixelRGB
- readRect
- readRectRGB

S-Z

- scroll
- setAddrWindow
- setBaseColor
- setBrightness
- setClipRect
- setColor
- setColorDepth
- setCursor
- setEpdMode
- setFont
- setPivot
- setRawColor
- setResolution
- setRotation
- setScrollRect
- setSwapBytes
- setTextColor
- setTextDatum
- setTextPadding
- setTextScroll
- setTextSize
- setTextStyle
- setTextWrap
- setTouchCalibrate
- setWindow
- showFont
- sleep
- startWrite
- swap565
- swap888
- textLength
- textWidth
- unloadFont
- wakeup
- width
- writeColor
- writeFastHLine
- writeFastVLine
- writeFillRect
- writeFillRectPreclipped
- writeIndexedPixels
- writePixel
- writePixels
- writePixelsDMA